RECEIVED
CENTRAL FAX CENTER
NOV 2 0 2008

## In the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims**

- 1. (currently amended) An improved powered dispensing device adapted to dispense an evaporable material into an atmosphere, comprising
  - a reservoir containing evaporable material,
- a wick axially extending from said reservoir and providing said evaporable material to a headspace surrounding an exposed end of the wick,
- a blower <u>having an axis or rotation</u> and being axially aligned with the wick adapted to provide airflow comprising the evaporable material from the headspace,
- a separate manifold disposed above the wick and comprising a plurality of vents extending to the atmosphere and <u>includes</u> at least one internal baffle adapted to direct said airflow in a desired direction.
- 2. (canceled)
- 3. (currently amended) An improved powered dispensing device adapted to dispense an evaporable material into an atmosphere, comprising

a reservoir containing evaporable material,

a wick having a longitudinal axis and extending axially from the reservoir and providing the evaporable material to a headspace surrounding an exposed end of the wick.

a separate manifold being arranged above the wick and including a plurality of vents extending to the atmosphere

at least one baffle disposed within the separate manifold,

a blower having a rotational axis and being adapted to provide airflow of the evaporable material from the headspace.

Response to Final Office Action mailed May 20, 2008 U.S. Serial No. US 10/534,243

Page 2 of 8

The improved device according to claim 1, wherein the rotational axis of the blower is <u>disposed</u> perpendicular to the longitudinal axis of the wick, the blower being arranged such that it moves air containing evaporable material from the headspace in a first direction that <u>which</u> is generally perpendicular to a second direction in which the air containing evaporable material is exhausted from the blower into the separate manifold.

4. (canceled) The improved device according to claim 1 3, wherein the blower is a fan. that induces a flow of air from an ambient environment in a direction parallel to that of the air drawn into the fan, through the headspace, and out into the atmosphere.

## 5. (canceled)

6. (currently amended) An improved method of providing an evaporable material to an atmosphere comprising the steps of providing a reservoir with evaporable evaporable material and an axially disposed wick being in contact with the evaporatable evaporable material; providing a headspace including evaporable material from the wick, providing a separate manifold having a plurality of vents and being disposed in axially alignment with and above the wick, and

causing a flow of air to pass through the headspace and through the plurality of vents of the separate manifold such that the air containing evaporable material is conveyed into the atmosphere.

- 7. (canceled)
- 8. (canceled)
- (currently amended) The improved device according to claim 3, wherein the manifold comprises at least two baffles, adapted to the dissemination of the air containing evaporable material into the atmosphere.

Response to Final Office Action mailed May 20, 2008 U.S. Serial No. US 10/534,243

Page 3 of 8

- 10. (currently amended) The improved device according to claim [[4]] 1, wherein the manifold comprises at least two baffles, adapted to direct the dissemination of the air containing evaporable material into the atmosphere.
- 11. (canceled).
- 12. (canceled)
- 13. (canceled)
- 14. (canceled)